

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	559	(johnson.in.   main.in.) AND ("726".clas.   "713".clas.   "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:11
L2	45	biometric AND (johnson.in.   main.in.) AND ("726".clas.   "713".clas.   "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:11
L3	22	biometric AND tamper\$3 AND (johnson.in.   main.in.) AND ("726".clas.   "713".clas.   "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:12
L4	12	biometric AND obfuscat\$3 AND (johnson.in.   main.in.) AND ("726".clas.   "713".clas.   "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:12
L5	22	biometric AND encod\$3 AND (johnson.in.   main.in.) AND ("726".clas.   "713".clas.   "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:13
L6	20	biometric.clm. AND encod\$3.clm. AND sampl\$3.clm. AND ("726".clas.   "713".clas.   "380".clas.   "340".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:13
L7	2	tamper\$3.clm. AND biometric.clm. AND encod\$3.clm. AND sampl\$3.clm. AND ("726".clas.   "713".clas.   "380".clas.   "340".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:13
L8	0	tamper\$1resist\$3.clm. AND biometric.clm. AND encod\$3.clm. AND sampl\$3.clm. AND ("726".clas.   "713".clas.   "380".clas.   "340".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:14

## EAST Search History (Prior Art)

L9	0	(tamper\$3.clm. NEAR resist\$3) AND biometric.clm. AND encod\$3.clm. AND sampl\$3.clm. AND ("726".clas.   "713".clas.   "380".clas.   "340".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:14
L10	41	(tamper\$3.clm. NEAR resist\$3) AND biometric.clm. AND ("726".clas.   "713".clas.   "380".clas.   "340".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:14
L11	15	encod\$3 AND (tamper\$3.clm. NEAR resist\$3) AND biometric.clm. AND ("726".clas.   "713".clas.   "380".clas.   "340".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:14
L12	38	encrypt\$3 AND (tamper\$3.clm. NEAR resist\$3) AND biometric.clm. AND ("726".clas.   "713".clas.   "380".clas.   "340".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:14
L13	2	encrypt\$3 AND branch\$3 AND (tamper\$3.clm. NEAR resist\$3) AND biometric.clm. AND ("726".clas.   "713".clas.   "380".clas.   "340".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/04 09:15
S1	0	((generate OR create) NEAR (incorrect NEAR password)) AND biometric AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:32
S2	0	((generate OR create) NEAR (incorrect password)) AND biometric AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:17
S3	0	((generate OR create) NEAR (incorrect password)) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:17

## EAST Search History (Prior Art)

S4	0	((generate OR create) NEAR (incorrect NEAR password)) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:17
S5	0	((generate OR create) NEAR (incorrect WITH password)) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:17
S6	0	((generate OR create OR calculate) NEAR (incorrect WITH password)) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:18
S7	12	((generate OR create OR calculate) SAME (incorrect WITH password)) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:18
S8	2	((generate OR create OR calculate) SAME (incorrect WITH password)) AND biometric AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 09:18
S9	568	private key AND public key AND biometric AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:32
S10	79	private key AND public key AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:33
S11	44	(creat\$3 OR generat\$3) AND pair AND private key AND public key AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:37

## EAST Search History (Prior Art)

S12	44	(creat\$3 OR generat\$3 OR calculat\$3) AND pair AND private key AND public key AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:34
S13	22	("well known") AND (creat\$3 OR generat\$3 OR calculat\$3) AND pair AND private key AND public key AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:35
S14	0	((pair NEAR (private key AND public key)) SAME ("well known")) AND (creat\$3 OR generat\$3 OR calculat\$3) AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:36
S15	0	((pair NEAR (private key AND public key)) SAME ("well known")) AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:36
S16	20	((pair NEAR (private key AND public key)) SAME ("well known")) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:36
S17	2	"6490680".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 14:38
S18	2	"6655585".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 16:14
S19	2	"6779114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 16:15

## EAST Search History (Prior Art)

S20	2	"6085320".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 16:15
S21	44	verification AND threshold AND password AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:38
S22	33	generate AND verification AND threshold AND password AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:40
S23	5	generate AND verification threshold AND password AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:41
S24	5	verification threshold AND password AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:44
S25	0	verification threshold NEAR password AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:43
S26	0	verification threshold WITH password AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:43
S27	1	verification threshold SAME password AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 08:43

## EAST Search History (Prior Art)

S28	8	verification threshold AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:56
S29	0	bijection AND table AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:57
S30	83	bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:57
S31	66	step AND algorithm AND bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:57
S32	24	nonlinear AND step AND algorithm AND bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:57
S33	4	nonlinear bijection AND step AND algorithm AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:58
S34	4	nonlinear bijection AND algorithm AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:58
S35	4	nonlinear bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:58

## EAST Search History (Prior Art)

S36	4	nonlinear bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:59
S37	157	bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:59
S38	83	table AND bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:59
S39	70	algorithm AND table AND bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:59
S40	21	algorithm AND table AND bijection AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:00
S41	9	algorithm AND table AND bijection AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:01
S42	0	algorithm AND table NEAR bijection AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:01
S43	3	algorithm AND table SAME bijection AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:01

## EAST Search History (Prior Art)

S44	3	table SAME bijection AND ("713".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:03
S45	36	sequence AND disperse AND ("713".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:04
S46	12	merge AND code AND block AND sequence AND disperse AND ("713".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:07
S47	4	merge AND block NEAR code AND sequence AND disperse AND ("713".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 10:07
S48	11	parameter AND template AND sampl\$3 AND access control AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 12:50
S49	0	tamper\$1resistan\$2 AND parameter AND template AND sampl\$3 AND access control AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:23
S50	0	tamper\$1resistan\$2 AND template AND sampl\$3 AND access control AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:23
S51	2	tamper\$1resistan\$2 AND template AND sampl\$3 AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:23



## EAST Search History (Prior Art)

S52	2	tamper\$1resistan\$2 AND template AND sampl\$3 AND biometric AND ("713/186, 194".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:25
S53	3	tamper\$1resistan\$2 AND template AND sampl\$3 AND biometric AND ("713/186, 194".ccls.   726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:25
S54	40	tamper\$1resistan\$2 AND template AND sampl\$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:27
S55	38	encod\$3 AND software AND tamper\$1resistan\$2 AND template AND sampl\$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:27
S56	29	parameter\$1 AND encod\$3 AND software AND tamper\$1resistan\$2 AND template AND sampl\$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:27
S57	29	parameter\$1 AND encod\$3 AND software AND tamper\$1resistan\$2 AND template\$1 AND sampl\$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:27
S58	29	verif\$7 AND parameter\$1 AND encod\$3 AND software AND tamper\$1resistan\$2 AND template\$1 AND sampl\$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:35
S59	38	verif\$7 AND encod\$3 AND software AND tamper\$1resistan\$2 AND template\$1 AND sampl\$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:46

## EAST Search History (Prior Art)

S60	37	(johnson.in.   main.in.) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:47
S61	5	biometric AND (johnson.in.   main.in.) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:48
S62	4	tamper\$ AND biometric AND (johnson.in.   main.in.) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 13:52
S63	1	WO-0177788-\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:04
S64	2	"5947747".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:10
S65	6	"6490680".pn.   "5457747".pn.   "6363485".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:11
S66	2	biometric.clm. AND tamper.clm. AND resistan\$2.clm. AND verif\$7.clm. AND (software.clm.   application.clm.) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:48
S67	4	biometric.clm. AND tamper.clm. AND resistan\$2.clm. AND (software.clm.   application.clm.) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:48

## EAST Search History (Prior Art)

S68	10	biometric.clm. AND tamper.clm. AND resistan\$2.clm. AND (software.clm.   application.clm.) AND ("713".clas.   "726".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:49
S69	10	biometric.clm. AND tamper.clm. AND resistan\$2.clm. AND (software.clm.   application.clm.) AND ("713".clas.   "726".clas.   "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:49
S70	14	biometric.clm. AND tamper.clm. AND resistan\$2.clm. AND (software.clm.   application.clm.) AND ("713".clas.   "726".clas.   "380".clas.   "705".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/17 14:50
S71	31	tamper\$1resistan\$2 AND template AND sampl\$3 AND (software   application) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 08:54
S72	1	partial evaluation AND tamper\$1resistan\$2 AND biometric AND (software   application) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:01
S73	4	partial evaluation AND (software   application) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:01
S74	4	partial evaluation AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:13
S75	154	partial evaluation AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:14

## EAST Search History (Prior Art)

S76	13	partial evaluation AND ("713".clas.   "726".clas.   "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 09:15
S77	2	"6655585".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 13:29
S78	2	"6085320".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/18 13:54
S79	95050	(johnson.in.   main.in.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/12 15:15
S80	10	("5892899" "5991408" "6006328" "6035398" "6035403").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/12 15:21
S81	3	(johnson.in.   main.in.) AND biometric\$1 AND verif\$7 AND template AND sampl\$3 AND evaluation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/12 15:22
S82	8	"6655585".pn.   "6085320".pn.   "6668325".pn.   "6779114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/12 15:27
S83	10	(partial NEAR evaluat\$3) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.) AND (@pd<"20031224"   @ad<"20031224"   @prad<"20031224"   @rlad<"20031224")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/12 15:35

## EAST Search History (Prior Art)

S84	10	(partial NEAR evaluat\$3) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.   380/59.ccls.) AND (@pd<"20031224"   @ad<"20031224"   @prad<"20031224"   @rlad<"20031224")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/12 15:35
S85	117	(biometric NEAR (obfuscat\$3   encrypt\$3   hash\$3)) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.   380/59.ccls.) AND (@pd<"20031224"   @ad<"20031224"   @prad<"20031224"   @rlad<"20031224")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 11:13
S86	54	template AND (biometric NEAR (obfuscat\$3   encrypt\$3   hash\$3)) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.   380/59.ccls.) AND (@pd<"20031224"   @ad<"20031224"   @prad<"20031224"   @rlad<"20031224")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 11:14
S87	16	((biometric NEAR template) NEAR (obfuscat\$3   encrypt\$3   hash\$3)) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.   380/59.ccls.) AND (@pd<"20031224"   @ad<"20031224"   @prad<"20031224"   @rlad<"20031224")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 11:14
S88	2	"20030070079".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 13:27
S89	2	"20030088782".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 13:35
S90	2	"6317834".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 14:11
S91	1	WO-03065169-A\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 14:26

## EAST Search History (Prior Art)

S92	2	"6779114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/18 15:04
S93	18	((biometric NEAR template) NEAR (obfuscat\$3   encrypt\$3   hash\$3   tamper\$3   (tamper NEAR resist\$4))) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.   380/59.ccls.) AND (@pd<"20031224"   @ad<"20031224"   @prad<"20031224"   @rlad<"20031224")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 09:44
S94	35	(johnson.in.   main.in.) AND biometric\$1 AND template\$1 AND sampl\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 14:56
S95	131	((biometric NEAR template) AND (obfuscat\$3   encrypt\$3   hash\$3   tamper\$3   (tamper NEAR resist\$4))) AND ("713/186,194".ccls.   726/2,16,21,26,27.ccls.   380/59.ccls.) AND (@pd<"20031224"   @ad<"20031224"   @prad<"20031224"   @rlad<"20031224")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 14:57
S96	198	((biometric NEAR template) AND (obfuscat\$3   encrypt\$3   hash\$3   tamper\$3   (tamper NEAR resist\$4))) AND ("713".clas.   "726".clas.   "380".clas.) AND (@pd<"20031224"   @ad<"20031224"   @prad<"20031224"   @rlad<"20031224")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 14:57